AGILENT LEGAL LABS

Atty. Docket No.: 10010994-5

Jan 6 2005 11:25

Claim Amendment

1. (Canceled) A-process for correcting a time axis of local
chromatographic data to match reference chromatographic data while
maintaining peak areas, comprising:
obtaining reference calibration data from a reference chromatographic
system;
- obtaining local calibration data from a local chromatographic system;
generating local system correction functions based on an appropriate
mathematical relationship using the reference calibration and the local
ealibration data; and
applying the local system correction functions to local chromatographic
data to generate corrected local-chromatographic data,
wherein the corrected local chromatographic data match with the
reference calibration data on time axis and wherein peak areas in the local
chromatographic data are maintained in the corrected local chromatographic
data.
2. (Currently Amended) AThe process of claim 1, for correcting a
time axis of local chromatographic data to match reference chromatographic
data while maintaining peak areas, comprising:
obtaining reference calibration data from a reference chromatographic
system;
obtaining local calibration data from a local chromatographic system;
generating local system correction functions based on an appropriate

Atty. Docket No.: 10010994-5

mathematical relationship using the reference calibration and the local calibration data; and

applying the local system correction functions to local chromatographic data to generate corrected local chromatographic data.

wherein the corrected local chromatographic data match with the reference calibration data on time axis and wherein peak areas in the local chromatographic data are maintained in the corrected local chromatographic data, wherein the local system correction functions include a smoothed x-axis correction function and a y-axis correction function generated using one or more mathematical curve fitting techniques, said y-axis correction function is a first derivative of the x-axis correction function.

- 3. (Original) The process of claim 2, wherein the one or more mathematical curve fitting techniques are selected from the group consisting of linear regression, polynomial regression, logarithmic regression, cubic splining, and exponential regression.
- 4. (Original) The method of claim 2, wherein the local system correction functions are applied to the local chromatographic data through steps of:
- determining a retention time correction (△rt) from the smoothed xaxis correction function for a given reference retention time (rt);
- (2) copying a y value that is at retention time (rt + \Delta rt) in the local chromatographic data to rt;
 - (3) multiplying copied y value by (1+ dart/drt), wherein dart/drt is

Atty. Docket No.: 10010994-5

determined from the first derivative of the smoothed x-axis correction function; repeating steps (1) to (3) with each retention time data point in the local chromatographic data to create corrected local chromatographic data.

- 5. (Canceled).
- 6. (Canceled).
- 7. (Canceled).
- 8. (Canceled).
- 9. (Canceled).
- 10. (Canceled).
- 11. (Canceled).
- 12. (Canceled).
- 13. (Canceled).
- 14. (Currently Amended) The process of claim 12, further comprising:

replacing a y-axis unit in at least one of the reference calibration data and the local calibration data with a new y-axis unit.

Atty. Docket No.: 10010994-5

- 15. (Original) The process of claim 14, wherein the new y-axis unit is concentration, percent, weight, mass, moles, or mole fraction.
- 16. (Currently Amended) The process of claim 12, further comprising:

applying the local system correction functions to adjust the local calibration data and to generate time-axis correct local calibration data that maintains the peak areas of the local calibration data;

determining a y-axis local response correction function using the timeaxis correct local calibration data and the reference calibration data;

applying the y-axis local system response correction function to the local chromatographic data.

- 17. (Canceled).
- 18. (Original) A process for correcting local chromatographic data with a reference retention time database, comprising:

providing a reference retention time database;

running a calibration mix on the local system to generate location calibration data;

constructing local system correction functions to minimize differences between the local calibration data and corresponding retention time values in the reference retention time database for the calibration mix;

applying the local system correction functions to adjust local chromatographic data; and

Atty. Docket No.: 10010994-5

Jan 6 2005 11:25

using adjusted local chromatographic data to search the reference retention time database to obtain more accurate search results.

- 19. (Original) The process of claim 18, further comprising: locking a local system to the reference retention time database using an instrumental method.
- 20. The process of claim 19, wherein the instrumental (Original) method is RTL I method.
- 21. (Original) A process for correcting local chromatographic data by generating a local retention time database from a reference retention time database, comprising:

providing a reference retention time database;

locking a local system to the reference retention time database using an instrumental method;

running a calibration mix on the local system to generate local calibration data;

constructing local system correction functions to minimize differences between the local calibration data and corresponding retention time values in the reference retention time database for the calibration mix:

applying the local system correction functions to adjust the reference retention time database values to generate a local retention time database; and searching the local retention time database using local chromatographic data.

Atty. Docket Mo.: 10010994-5

- 22. (Currently Amended) The process of claim 12, wherein generation of at least one of the local system correction functions and the corrected local chromatographic data is performed at a remote location through a network.
- 23. (Original) The process of claim 22, wherein the network is a local network or the Internet.
 - 24. (Canceled).
- 25. (Canceled) An chromatographic apparatus for analyzing samples, comprising:
- means for producing local chromatographic data; and
- means for generating corrected local chromatographic data that match with reference chromatographic data on a time axis while maintaining peak areas of the local chromatographic data, comprising:
- appropriate mathematical relationship using reference calibration data and local calibration data; and
- means for applying the local-system correction functions to local chromatographic data.
 - 26. (Canceled).
- 27. (Currently Amended) A The chromatographic apparatus of claim 25, for analyzing samples, comprising:

Atty. Docket No.: 10010994-5

means for producing local chromatographic data; and
means for generating corrected local chromatographic data that match
with reference chromatographic data on a time axis while maintaining peak
areas of the local chromatographic data, further comprising:
means for creating local system correction functions based on an
appropriate mathematical relationship using reference calibration data and local
calibration data;
means for applying the local system correction functions to local
chromatographic data; and wherein the means for generating corrected local
chromatographic data-further comprising:
means for replacing a y-axis unit in at least one of the reference
calibration data and local calibration data with a new y-axis unit.

28. (Currently Amended) The chromatographic apparatus of claim 257, wherein the means for generating corrected local chromatographic data further comprising:

means for determining a y-axis local system response correction function; and

means for applying the y-axis local system response correction function to the local chromatographic data.